



collection Cassandra



QUESTEX

CECILIA



Gold

KP10703



Frost

KP10704



Canyon

KP10705



Mauve

KP10709



Taupe

KP10706



Twilight

KP10700

C A M E L I A



Gold

KP11203



Frost

KP11204



Canyon

KP11205



Mauve

KP11209



Taupe

KP11206



Goldenrod

KP11213



Twilight

KP11200



C H A R L O T T E



Gold Canyon

KP10403



Frost

KP10404



Canyon

KP10405



Gold Canyon Dust

KP10413



Mauve

KP10409



Taupe

KP10416



Twilight

KP10420

C L A I R



Taupe

KP10606



Frost

KP10614



Canyon

KP10605



Gold Canyon Dust

KP10615



Mauve

KP10619



Twilight

KP10600

C A M E R O N



Gold

KP10203



Frost

KP10204



Twilight

KP10200



Canyon

KP10205



Mauve Linen

KP10219



Canyon Pebble

KP10215



Gold Canyon Dust

KP10225



Mauve

KP10209




Taupe

KP10216




KP10703 shown at 108" wide (2.74m) HALF DROP



KP10704 shown at 108" wide (2.74m) HALF DROP



KP10705 shown at 108" wide (2.74m) HALF DROP



KP10709 shown at 108" wide (2.74m) HALF DROP



KP10706 shown at 108" wide (2.74m) HALF DROP



KP10700 shown at 108" wide (2.74m) HALF DROP



54" Type II 20oz. Contract Wallcovering

PHYSICAL PROPERTIES

	U.S. UNITS	METRIC UNITS
Total Weight:	20.0 oz per linear yard	619 grams per linear meter
Backing:	13.3 oz per linear yard	451 grams per square meter
Backing:	Nonwoven	Nonwoven
Width:	54"	1.37m

All patterns stocked are in 30 linear yard bolts

DESIGN INFORMATION

	VERTICAL REPEAT	MATCH
Cecilia:	53.34 cm (21 in)	Half Drop
Camelia:	26.67 cm (10.5 in)	Straight
Clair:	Random	Reversible
Charlotte:	Random	Reversible
Cameron:	Random	Reversible

FEDERAL SPECIFICATIONS

Questex exceeds G.S.A Federal Specification CCC-W-408D for Type II materials using test procedures detailed in Federal Specifications CCC-T-191-B. This wallcovering passes The National Fire Protection Association NFPA286 Corner Burn Test.

FIRE HAZARD CLASSIFICATION RESULTS

TESTED IN ACCORDANCE WITH ASTM E-84 TUNNEL TEST
CLASS "A" FIRE RATED
FLAME SPREAD 15
SMOKE DEVELOPED 25

This product is intended for use in buildings that are properly designed and maintained to avoid moisture infiltration, condensation and/or accumulation at wall cavities and wall surfaces, particularly in warm, humid climates.

ANTI-MICROBIAL FEATURES

Vinyl wallcoverings contain bactericides and mildew inhibitors to discourage the growth of mold and mildew under normal conditions.

5 YEAR WARRANTY AGAINST MANUFACTURING DEFECTS

Use only adhesives and primers as recommended by the manufacturer.

PHOTO CREDITS

Plainpicture/Narratives

Copyright © 2014 Questex
All Rights Reserved

465 Devon Park Drive, Wayne, PA 19087 USA
www.wallquest.com/questex - MADE IN U.S.A.